

Sprayers (holds chemical / water) - Alta Tech Series



SKU	Description	Model	Packing
117650312085	ALTA TECH SPRAYER CONICO ALTA 500	2085	26
117650312055	ALTA TECH SPRAYER CONICO ALTA 1000	2055	23
117650324002	ALTA TECH PRESSURE SPRAYER,2L, ALTA TECH 2000-FPM	AL4002	9
117650324012	ALTA TECH PRESSURE SPRAYER,2L, ALTA TECH 2000-EDPM	AL4012	9
117650324003	ALTA TECH PROFESSIONAL SPRAYER, 5L, ALTA TECH 5000	AL4003/SAL3018	1
117650324004	ALTA TECH PROFESSIONAL SPRAYER, 10L, ALTA TECH 10000	AL4004/SAL3018	1

SPECIAL FOR CHEMICALS **OILS - LUBRICANTS - GASOLINE SOLVENTS - DETERGENTS**
SCALE-REMOVERS - GLYCOLS, DETERGENTS, ACIDS, HIDRAULIC OILS

Range of products apt to spray oils, lubricants, solvents, detergents, scale removers, concrete casting oils. DI MARTINO manufactures the "Alta Tech" Line with **FPM** and **EPDM** gaskets. By these two types of gasket it is possible to spray most existing fluids provided that they do not damage plastic parts of the pumps. Concentrations and mixtures of chemical elements used are also highly important. It is therefore always necessary to test the product involved. Due to variability of the concentration and chemical composition of these liquids, it is necessary to carry out a practical test to verify the specific compatibility with the sprayer and read the technical card of the product before use. It is prohibited to spray explosive, corrosive and inflammable liquids.

GUARNIZIONI GASKETS GARNITURES DICHTUNG GUARNICIONES	<p>FPM</p> <p><i>fluoropolymer elastomer rubber</i></p> <p>Special for OILS, LUBRICANTS, GASOLINE, SOLVENTS, SCALE-REMOVERS</p>
	<p>EPDM</p> <p><i>ethylene propylene diene monomer rubber</i></p> <p>Special for GLYCOLS, DETERGENTS, ACIDS, HIDRAULIC OILS</p>

Gardening



Sprayers (holds chemical / water) - Colour Series



SKU	Description	Model	Packing
117650222006	COLOUR SPRAYER, SAMA 500	2006/86C2	26
117650222002	COLOUR SPRAYER, IBIZA 1000	2002/86C3	23
117650264009	COLOUR PRESSURE SPRAYER, 2.0L, ST.TROPEZ	4009/C3	9
117650264025	COLOUR PRESSURE SPRAYER, 3.0L, BRIO 4	4025	32
117650263090	COLOUR KNAPSACK SPRAYER, 15.0L, BRIO 15	3090/SBL	1

Sprayers (holds only clear water) - GDM Series



SKU	Description	Model	Packing
117650122006	GDM SPRAYER, JUNIOR SERIES, CONICO 500	2006/86	26
117650122002	GDM SPRAYER, JUNIOR SERIES, CONICO 1000	2002/86	23
117650134000	GDM PRESSURE SPRAYER, 1.5L, BIBA	DM4000	12
117650134002	GDM PRESSURE SPRAYER, 2.0L, EVA	4002	9
117650134003	GDM PROFESSIONAL PRESSURE SPRAYER, 5L, MARY 5	4003/SC	1
117650134020	GDM PROFESSIONAL PRESSURE SPRAYER, 7L, LADY 7	4020/SC	1
117650134004	GDM PROFESSIONAL PRESSURE SPRAYER, 10L, MARY 10	4004/SC	1
117650133004	GDM KNAPSACK SPRAYER, BRASS PISTON, 12L, ROSY 12	3004/SCL	1
117650133012	GDM KNAPSACK SPRAYER, BRASS PISTON, 15L, ROSY 16	3012/SCL	1

Makita Lawn Mowers

Electric Lawn Mower

new



ELM3310 330mm (13") / ELM3710 370mm (14-1/2")

More maneuverable electric lawn mower.

- Cutting height can be adjusted at 3 stages.
- Carry handle makes easy to handle.
- Lever type knob is easy to operate.
- Lightweight glassbox.
- Lightweight plastic deck.



Continuous rating Input	ELM3310 : 1,100W ELM3710 : 1,300W
Cutting width	ELM3310 : 330mm (13") ELM3710 : 370mm (14-1/2")
Cutting height	20,40,55mm (3/4, 1-5/8, 2-1/8")
Recommended mowing area	ELM3310 : 400m ² ELM3710 : 500m ²
Grass box capacity	ELM3310 : 27L ELM3710 : 35L
Dimensions (L x W x H)	ELM3310 : 600 x 460 x 320mm (23-5/8" x 18-1/8" x 12-5/8") ELM3710 : 650 x 490 x 350mm (25-1/2" x 19-1/4" x 13-3/4")
Net weight	ELM3310 : 12.6kg (27.8lbs) ELM3710 : 14.2kg (31.3lbs)

Gardening

Electric Lawn Mower

new



ELM4110 410mm (16-1/8") / ELM4610 460mm (18-1/8")

More maneuverable electric lawn mower.

- Cutting height can be adjusted at 5 stages by one hand.
- Lightweight glassbox.
- Large knob is easy to grip.
- Stylish PVC flat tires.
- Plastic front cover protects the steel deck.



Continuous rating Input	ELM4110 : 1,600W ELM4610 : 1,800W
Cutting width	ELM4110 : 410mm (16-1/8") ELM4610 : 460mm (18-1/8")
Cutting height	20, 32, 44, 60, 75mm (3/4, 1-1/4, 1-3/4, 2-3/8, 3")
Recommended mowing area	ELM4110 : 600m ² ELM4610 : 800m ²
Grass box capacity	ELM4110 : 50L ELM4610 : 80L
Dimensions (L x W x H)	ELM4110 : 760 x 500 x 410mm (30" x 19-3/4" x 16-1/8") ELM4610 : 800 x 540 x 400mm (31-1/2" x 21-1/4" x 15-3/4")
Net weight	ELM4110 : 25kg (55.1lbs) ELM4610 : 27.6kg (60.9lbs)

Makita Sprayer


Sprayer



EVH2000 24.5ml-4stroke

High pressure piston pump with high discharge volume.

- Suitable for orchard, parks, garden and any place where spraying is required.
- Meets all environmental standards.
- Carburetor: Diaphragm type, Ignition system: Solid state ignition.
- 4-pressure adjusting position pump.
- Large chemical tank for long spraying work.



Displacement	24.5mL
Fuel tank	0.5L
Max. pressure	2.5Mpa (25kgf/cm ²)
Chemical liquid tank	20L
Dimensions (L x W x H)	380 x 420 x 635mm (15" x 16-1/2" x 25")
Net weight	9.1kg (20.1lbs)

Net weight : without fuel

Makita Pump


Pump



EPH1000X 33.5ml-4stroke 25.4mm (1") Suction / Discharge

Meets all environmental standards.

- Carburetor: Diaphragm type, Ignition system: Solid state ignition.
- High pressure water pump for Spraying and Splashing Water.
- Comes with full accessories for easy operation.
 - Delivery 8m (27ft) and Suction 3m (11ft) hoses.
 - Two way adjustable nozzle (Spraying & Splashing).
 - Strainer, hose couplings & hose bands.



Displacement	33.5mL
Suction & Discharge diameter	25.4 mm (1")
Total head	45m (148ft)
Max. pumping capacity	130 L / min (34 gal/min)
Fuel tank	0.65L
Dimensions (L x W x H)	358 x 234 x 348mm (14-1/8" x 9-1/4" x 13-3/4")
Net weight	7.5kg (16.6lbs)

Net weight : without fuel

● Suction hose, Strainer, Hose Couplings, Hose Bands, Delivery Hose, 2 Way Adjustable Nozzle, Tool Kit

Makita Brush Cutter / Trimmer

Backpack Petrol Brushcutter

EBH340R 33.5mL-4stroke



MM4

33.5ml 4-stroke new backpack brushcutter series are launched for real professionals.

- Commercial duty 33.5cc engine for dependable performance.
- Meets all environmental standards.
- Carburetor: Diaphragm type, Ignition system: Solid state ignition.
- The flexible shaft between engine and shaft allowing efficiently work on slopes undulating ground or in narrow space.



● Blade, Tool Kit

Displacement	33.5mL
Engine power	1.07kW / 1.5PS
Fuel tank	0.65L
Spindle size	M10 X 1.25LH
Dimensions (L x W x H)	400 x 325 x 395mm (15-3/4" x 12-3/4" x 15-1/2")
Net weight	9.8kg (21.6lbs)

Net weight : without blade, harness and fuel

Petrol Hedge Trimmer

HTR5600 560mm (22")

Double blade type.

- Very powerfull 2-stroke engine desinged for tougher job.
- Carburetor : Diaphragm



● Blade Cover, Tool Set

Blade length	560mm (22")
Displacement	24.5mL
Engine power	0.73kW / 0.99PS
Fuel mixture	25 : 1
Fuel tank	0.6L
Dimensions (L x W x H)	840 x 246 x 225mm (33" x 9-11/16" x 8-7/8")
Net weight	5.1kg (11.2lbs)



Net weight : without fuel

Petrol Hedge Trimmer

HTR7610 750mm (29-1/2")

Wide-trigger control and soft grip for comfortable operation.

- Very powerfull 2-stroke engine desinged for tougher job.



● Blade Cover, Tool Set

Blade length	750mm (29-1/2")
Displacement	24.5mL
Engine power	0.73kW / 0.99PS
Fuel mixture	25 : 1
Fuel tank	0.6L
Dimensions (L x W x H)	1,041 x 280 x 258mm (41" x 11" x 10-1/8")
Net weight	5.4kg (11.9lbs)

Net weight : without fuel

Cordless Hedge Trimmer

BUH550 550mm (21-5/8") / BUH650 650mm (25-1/2")


new

High maneuverability and environment-friendly.

- Rotatable rear handle.
- Good balance of weight.
- Low noise.



36V



● Fast Charger, Battery Cartridge, Blade Cover

Blade length	BUH550 : 550mm (21-5/8") BUH650 : 650mm (25-1/2")
Strokes per minute (spm)	1,000-1,800
Dimensions (L x W x H)	BUH550 : 1,076 x 225 x 198mm (42-1/4" x 8-7/8" x 7-3/4") BUH650 : 1,184 x 225 x 198mm (46-1/2" x 8-7/8" x 7-3/4")
Net weight	BUH550 : 5.4kg (11.9lbs) BUH650 : 5.5kg (12.1lbs)

Gardening

Cordless String Trimmer

new



36V

BBC300L

Human and environment-friendly by zero exhaust emission.

- Extremely low noise and low vibration.
- Maintenance-free due to brushless DC motor.
- Reverse switch for easy removal of grass clippings stuck.
- Ergonomically designed large loop handle.
- Red LED lamp for low battery capacity or overload.



● Fast Charger, Battery Cartridge, Nylon Cutting Lead, Universal Guard, Shoulder Harness With Single Shoulder Strap, Wrenches

No load speed (rpm)	Hi : 0-6,600 Lo : 0-4,900
Dimensions (L x W x H)	1,850 x 340 x 325mm (73" x 13-3/8" x 12-3/4")
Net weight	6.1kg (13lbs)

Cordless Brushcutter

new



36V

BBC231U

Human and environment-friendly by zero exhaust emission.

- Extremely low noise and low vibration.
- Maintenance-free due to brushless DC motor.
- Reverse switch for easy removal of grass clippings stuck.
- Ergonomic handle bar of asymmetric design.
- Red LED lamp for low battery capacity or overload.



● Fast Charger, Battery Cartridge, Blade, Universal Guard, Shoulder Harness With Double Shoulder Strap, Wrenches

No load speed (rpm)	Hi : 0-7,300 Lo : 0-5,300
Dimensions (L x W x H)	1,880 x 620 x 490mm (74" x 24-3/8" x 19-1/4")
Net weight	7.1kg (15.7lbs)

Electric Hedge Trimmer



UH4570 450mm (17-3/4") / UH6570 650mm (25-1/2")

419

Comfortable operation by ergonomically designed rubberized soft grip.


- Three switches are installed in handle, front grip and sub grip.
- Tool starts only when any two pair of the three switches are pressed at the same time.
- Guard is provided at the tip of blades to prevent kick-back.
- Blades are coated particularly to improve durability.



● Blade Cover, Hook Complete, Belt Hook

Continuous rating Input	550W
Blade length	UH4570 : 450mm (17-3/4") UH6570 : 650mm (25-1/2")
Strokes per minute (spm)	1,600
Dimensions (L x W x H)	UH4570 : 862 x 223 x 206mm (34" x 8-3/4" x 8-1/8") UH6570 : 1,042 x 223 x 206mm (41" x 8-3/4" x 8-1/8")
Net weight	UH4570 : 3.6kg (7.9lbs) UH6570 : 3.8kg (8.4lbs)
Power supply cord	0.3m (0.98ft)

Electric Hedge Trimmer



UH7580 550mm (21-5/8")

419

High power and superior operation.

- Ergonomically designed rubberized soft grips provide more control and comfort.
- Three switches are installed in handle, front grip and sub grip.
- Tool starts only when any two pair of the three switches are pressed at the same time.
- Guard is provided at the tip of blades to prevent kick-back.
- Blades are coated particularly to improve durability.



● Blade Cover, Hook Complete, Belt Hook

Continuous rating Input	670W
Blade length	UH7580 : 750mm (29-1/2")
Strokes per minute (spm)	1,500
Dimensions (L x W x H)	UH7580 : 1,157 x 223 x 206mm (45-1/2" x 8-3/4" x 8-1/8")
Net weight	UH7580 : 4.6kg (10.1lbs)
Power supply cord	0.3m (0.98ft)

Petrol Hedge Trimmer


new



HTR4901 490mm (19-1/4")

Double blade type.

- Rear handle swivels 180 degree, making vertical trimming easier.
- Carburetor : Diaphragm



● Blade Cover, Tool Set

Blade length	490mm (19-1/4")
Displacement	21mL
Engine power	0.62kW / 0.84PS
Fuel mixture	25 : 1
Fuel tank	0.4L
Dimensions (L x W x H)	1,060 x 255 x 220mm (41-3/4" x 10" x 8-5/8")
Net weight	4.7kg (10.4lbs)


Net weight : without fuel

Miscellaneous



M10 ^(R) Hedge Shear			
SKU	Size	Overall Length	Ctn
	7"	13"	12/48

- Made of stainless steel blade, aluminium handle.



M10 ^(R) Hedge Shear			
SKU	Size	Overall Length	Ctn
	9"	20"	6

- Made of stainless steel blade, wooden handle.



Trowel



Fork



Cultivator



Transplanter



Weed Cutter



Hoe

M10 ^(R) Wooden Handle Garden Tool			
SKU	Description	Length	Box / Ctn
	Trowel	11"	12/72
	Fork	10-1/2"	12/72
	Cultivator	8-3/4"	12/72
	Transplanter	11-1/2"	12/72
	Weed Cutter	11-1/2"	12/72
	Hoe	14"	12/72



M10 ^(R) High Tree Pruner		
SKU	Length x Dia	Ctn
	2.5m x 1.1"	6

- Painted metal head, heat-treated high carbon steel blade, 14" saw blade, a rope, adjustable aluminium handle.



M10 ^(R) Tree Pruner With Rope	
SKU	Ctn
	6

- Painted metal head, heat treated high carbon steel, 14" saw blade, a rope, adjustable aluminium handle.

CISO

NEW



Bosch ^(R) Cordless Scaeteur (SKU - 111291201)	
SKU	111291201
Battery Voltage	3.6V
Max Cutting Capacity	14mm diameter
Cutting System	Bypass
Weight	0.6kg