

Abrasive

Brown Compound



SKU	Description
010001303	Polishing Compound Brown

Black Compound



The black bar is the most aggressive cutting down compound and is commonly used in combination with sisal buff for heavy cut down operations on ferrous metals, such as stainless steel and iron. Depending on the required application, black bar can be modified for different cutting aggressiveness.

SKU	Description
010001304	Polishing Compound Black

Polishing Discs

Available Brands: Metabo & Fuji
 Sizes Available: 4,5,6,7



For Sanders

SKU: 29161090	SKU: 2916101
4" Fuji Polishing Bonnet	4" Fuji Rubber Disc
SKU: 2916111	SKU: 2916102
5" Fuji Polishing Bonnet	5" Fuji Rubber Disc
SKU: 2916109	SKU: 2916103
6" Fuji Polishing Bonnet	6" Fuji Rubber Disc
	SKU: 2916104
	7" Fuji Rubber Disc



For Angle Grinders

SKU: 2921323265
Metabo Lambswool

Air Equipment

TAG Angle Grinder - Heavy Industrial Duty

TAG-400 4" Angle Grinder (100mm)



- 13,000 rpm free speed
- Ideal for cutting, deburring, grinding and cup brushing operations

TAG-400QJL 4" Angle Grinder (100mm)



- 13,000 rpm free speed
- Ideal for cutting, deburring, grinding and cup brushing operations

TAG-700 7" Angle Grinder (180mm)




- 7,500 rpm free speed
- Ideal for cutting, deburring, grinding and cup brushing operations

TAG-700QJL 7" Angle Grinder (180mm)



- 7,500 rpm free speed
- Ideal for cutting, deburring, grinding and cup brushing operations

Options



TAG-900QJL 9" Angle Grinder (230mm)



- 6,300 rpm free speed
- Ideal for cutting, deburring, grinding and cup brushing operations

4" Angle Grinder (100mm)

TAG-40MR TAG-40FR



- 10% Higher power and reducing working time
- Choice of 5/8" bore or M10 thread
- Lower Investment cost - save money
- TAG-40MR - M10 thread & 5/8" bore
- TAG-40FR - 5/8" bore

FR-Female Type



MR-Male Type



Model	Wheel Size	Bore Size	Wheel Max Speed	Net Weight	Overall Length	Free Speed	Avg. Air Consumption	Air Inlet	Hose Size	Hose Power
	(mm)	(mm)	(m/min)	(kg)	(mm)	(rpm)	(m ³ /min)	(pt)	(in)	(HP)
TAG-40MR	100	M10	4,300	1.4	197	13,000	0.5	3/8	1/2	0.7
TAG-40FR	100	16	4,300	1.4	197	13,000	0.5	3/8	1/2	0.7
TAG-400	100	16	4,300	1.4	220	13,000	0.5	3/8	1/2	0.7
TAG-400 QJL	100	16	4,300	1.8	266	13,000	0.5	3/8	1/2	0.7
TAG-700	180	22	4,300	3.1	274	7,500	0.8	3/8	1/2	1.3
TAG-700 QJL	180	22	4,300	3.2	304	7,500	0.8	3/8	1/2	1.3
TAG-900 QJL	230	22	4,300	3.4	304	6,300	0.8	3/8	1/2	1.3

Specifications: Air Pressure 6kg/cm²

Torque: 1.0kg.m = 9.807N.m = 7.233.ft.lb

Air Equipment

Ratchet



MR-2207 1/4"



MR-2209C 3/8"

- Compact and Powerful
- Rubber Covered Ratchet Head
- Durable ratchet head for long life
- Forward & reverse switch
- Ideal for confined work space

- Small Body for easy grip handle, and yet powerful
- Quick run down capacity
- Durable ratchet head for long life
- Forward & reverse switch
- Ideal for confined work space

MR-2310B 3/8"



MR-2410B 1/2"

Model	Square Drive	Bolt Size	Torque Range	Max Torque	Net Weight	Overall Length	Free Speed	Avg. Air Cons	Air Inlet	Hose Size
	(in)	(mm)	(kg.m)	(kg.m)	(kg)	(mm)	(rpm)	(m ³ /min)	(pt)	(in)
MR-2207	1/4	8	0.6 - 2.8	5.5	0.53	165	220	0.10	1/4	3/8
MR-2209C	3/8	8	0.6 - 2.8	5.6	0.53	165	220	0.10	1/4	3/8
MR-2310B	3/8	10	1.4 - 4.0	8.3	1.13	254	155	0.12	1/4	3/8
MR-2410B	1/2	10	1.4 - 4.0	8.3	1.13	254	155	0.12	1/4	3/8

Specifications: Air Pressure 6kg/cm²

Torque: 1.0kg.m = 9.807N.m = 7.233 ft.lb

SRC Air Riveter



- A lightweight & Powerful tool for installing blind rivets from 2.4mm (3/32") to 4.8mm (3/16") in all materials and 6.4mm (1/4") in aluminium. It is easy to operate and maintain the tool
- The three-jaw design provides a better performance with only a change of nose nozzle and is easy for the spent mandrels falling off
- A collection bottle is a standard accessory to the tool and creates a cleaner and safer work environment by preventing spent mandrels from falling to the floor or work surface

SKU	Description
023250105	SRC Air Riveter SRC - 55
023250106	SRC Air Riveter SRC - 56

Air Equipment

Die Grinder



MG-7204B -Front exhaust

- Front exhaust

- High speed low vibration
- Compact, light & handy
- Ideal for grinding & deburring
- Optional 1/4" or 3mm collet on request.



MG-7236B - Front exhaust



MG-20 -Front exhaust

Model	Collet Size	Wheel Size	Net Weight	Overall Length	Free Speed	Avg. Air Consumption	Air Inlet	Hose Size
	(mm)	(mm)	(kg)	(mm)	(rpm)	(m ³ /min)	(pt)	(in)
MG-20	6 (3 & 1/4" Optional)	25	0.6	139	20,000	0.28	1/4	3/8
MG-7236B	6 (3 & 1/4" Optional)	25	0.4	123	15,000	0.23	1/4	3/8
MG-7204B	6 (3 & 1/4" Optional)	25	0.4	120	25,000	0.23	1/4	3/8

Specifications: Air Pressure 6kg/cm²

Torque: 1.0kg.m = 9.807N.m = 7.233 ft.lb

Needle Scaler and Flux Chipper



TJN-200 Needle Scaler



TFC-200F Flux Chipper



TFC-200 Flux Chipper

- Handy & effective
- No. of needles (3mm) : 12pcs
- Application
Effective in removing old paint and rust in difficult corners

- Accessories
C20 - 19mm

- Accessories
C15 - Chisel end
C15L - Chisel end (250mm)
M15 - Point end
B15 - Blank (flat end) chisel

Model	Piston dia. x Stroke		Stroke / Blow Per min	Net Weight	Overall Length	Avg. Air Consumption	Air Inlet	Hose Size
	(mm)	(in)						
TJN-200	20 x 15	3/4 x 9/16	12,000	1.12	225	0.25	1/4	1/4
TFC-200	20 x 12	3/4 x 7/16	12,000	0.88	182	0.25	1/4	1/4
TFC-200F	20 x 12	3/4 x 7/16	12,000	1.06	187	0.25	1/4	1/4

Specifications: Air Pressure 6kg/cm²

Torque: 1.0kg.m = 9.807N.m = 7.233 ft.lb

Air Equipment

Screw Driver

MV-6216B



- Compact and easy to use
- Adjustable torque - clutch type
- Ideal for light assembly industries

MV-6226B

- Pistol Grip



MI-12D

- Twin Hammer Clutch
- Tease Throttle for precise control
- One handed easy reverse switch



MID-50

- Compact, light weight & powerful
- Double-Dog Hammer mechanism for power vs weight
- Ideal for all kind of assembly jobs



MID-60

Model	Driver Chuck Hex	Bolt Cap	Max Torque	Net Weight	Overall Length	Free Speed	Avg. Air Cons	Air Inlet	Hose Size
	(in)	(mm)	(kg.m)	(kg)	(mm)	(rpm)	(m ³ /min)	(pt)	(in)
MV-6216B	1/4	6	10.9	1.20	250	1,800	0.15	1/4	3/8
MV-6226B	1/4	6	11.2	1.30	205	1,800	0.15	1/4	3/8
MID-50	1/4	6	15.0	0.55	162	10,000	0.20	1/4	3/8
MID-60	1/4	8	19.8	0.90	207	10,000	0.35	1/4	3/8
MI-12D	1/4	12	21.0	1.20	150	10,000	0.40	1/4	3/8

Specifications: Air Pressure 6kg/cm²

Torque: 1.0kg.m = 9.807N.m = 7.233 ft.lb

CKD Filter



SKU	Description
021410402	CKD Filter F3000 - 8F



SKU	Description
021410403	CKD Filter F4000 - 10F

Air Equipment

Quick Coupler



SKU	Description
024850221	Sunrise Quick Coupling 20 SM
024850222	Sunrise Quick Coupling 30 SM
024850223	Sunrise Quick Coupling 40 SM



SKU	Description
024850224	Sunrise Quick Coupling 20 SF
024850225	Sunrise Quick Coupling 30SF
024850226	Sunrise Quick Coupling 40SF



SKU	Description
024850201	Sunrise Quick Coupling 20 PM
024850202	Sunrise Quick Coupling 30 PM
024850203	Sunrise Quick Coupling 40 PM



SKU	Description
024850207	Sunrise Quick Coupling 20 PH
024850208	Sunrise Quick Coupling 30 PH
024850209	Sunrise Quick Coupling 40 PH



SKU	Description
024850227	Sunrise Quick Coupling 20 SH
024850228	Sunrise Quick Coupling 30 SH
024850229	Sunrise Quick Coupling 40 SH



SKU	Description
024850204	Sunrise Quick Coupling 20 PF
024850205	Sunrise Quick Coupling 30 PF
024850206	Sunrise Quick Coupling 40 PF



SKU	Description
024850252	Sunrise 3-Way Q/Coupling SMY



SKU	Description
024850251	Sunrise 2-Way Q/Coupling SMV

Air Equipment

Coil Hose / Spray Gun



SKU	Description
020001624	SPRAY GUN F75S



SKU	Description
020001611	Mini Spray Gun (Gravity)



SKU	Description
024850277	Sunrise Air Filter Autodrain SF-200A (F)
024850278	Sunrise Air Filter Autodrain SF-300A(F)
024850279	Sunrise Air Filter Autodrain SF-400A(F)



SKU	Description
024850274	Sunrise Air F/R Set SFR-200A(FR)
024850275	Sunrise Air F/R Set SFR-300A(FR)
024850276	Sunrise Air F/R Set SFR-400A(FR)



SKU	Description
024850271	Sunrise Air Control Unit SFC-200A(FR+L)
024850272	Sunrise Air Control Unit SFC-300A(FR+L)
024850273	Sunrise Air Control Unit SFC-400A(FR+L)



Air Equipment

Air Duster / Air Control Unit



SKU	Description
026430201	GREEN AIR DUSTER DG10-1



SKU	Description
026430206	GREEN AIR DUSTER DG10-30



SKU	Description
024850021	Sunrise Air Duster Std Nozzle AR-TS



SKU	Description
024850022	Sunrise Air Duster Long Nozzle AR-TS-L



SKU	Description
020001110	Air Duster With Extendable Nozzle J0301



SKU	Description
020001003	COIL HOSE 6M
020001004	COIL HOSE 9M
0200010041	COIL HOSE 12M
020001005	COIL HOSE 15M

Air Equipment

Pneumatic Stapler



SKU	Description
02818011022	Artisan Pneumatic Stapler 1022J



SKU	Description
02818010422	Artisan Pneumatic Stapler 422J



SKU	Description
02818010030	Artisan Pneumatic Stapler DDCF 32



SKU	Description
02818010050	Air Tracker AT 50

Castors and Wheels

PU Castor



Heavy Duty IND. PU Caster Rigid

SKU	Model	Wheel			Load (kg)
03319580102	580100	102 x 50	114 x 100	88 x 75	250
03319580126	580126	126 x 50	114 x 100	88 x 75	300
03319580152	580152	152 x 50	114 x 100	88 x 75	400
03319580202	580202	202 x 50	114 x 100	88 x 75	500



Heavy Duty IND. PU Caster Swivel

SKU	Model	Wheel			Load (kg)
03319590102	590100	102 x 50	114 x 100	88 x 75	250
03319590126	590126	126 x 50	114 x 100	88 x 75	300
03319590152	590152	152 x 50	114 x 100	88 x 75	400
03319590202	590202	202 x 50	114 x 100	88 x 75	500



Heavy Duty IND. PU Caster W/Brake

SKU	Model	Wheel			Load (kg)
033195901021	590102B	102 x 50	114 x 100	88 x 75	250
033195901261	590126B	126 x 50	114 x 100	88 x 75	300
033195901521	590152B	152 x 50	114 x 100	88 x 75	400
033195902021	590202B	202 x 50	114 x 100	88 x 75	500

Rubber Castor



HD. IND. Rubber Caster Rigid

SKU	Model	Wheel			Load (kg)
03319697100	697100	100 x 32	100 x 80	80 x 60	100
03319697125	697125	125 x 37.5	100 x 80	80 x 60	130
03319697160	697160	160 x 40	141 x 110	105 x 78	200
03319697200	697200	200 x 50	141 x 110	105 x 78	230



HD. IND. Rubber Caster Swivel

SKU	Model	Wheel			Load (kg)
03319698100	698100	102 x 32	100 x 80	80 x 60	100
03319698125	698125	125 x 37.5	100 x 80	80 x 60	130
03319698160	698160	160 x 40	141 x 110	105 x 78	200
03319698200	698200	200 x 50	141 x 110	105 x 78	230



HD. IND. Rubber Castor W/Brake

SKU	Model	Wheel			Load (kg)
033196981002	698100DB	102 x 32	100 x 80	80 x 60	100
033196981252	698125DB	125 x 37.5	100 x 80	80 x 60	130
033196981602	698160DB	160 x 40	141 x 110	105 x 78	200
033196982002	698200DB	200 x 50	141 x 110	105 x 78	230